


机型版本 Ver.A

D	Title	SEHD-50		Drawing NO	SEHD-50-CE-400V-0-1		Scale	Page	1					
		Main Circuit Diagram			Standard	CE		Totally	4	Pages				
Mark	Before modification	After modification	Modified by	Modify date	Checked by	Proofread by	Designer	Drawer	Version	0	Date	20190415	Voltage	400V
														Approved by





机型版本 Ver.A


Note: M1 is the overheat protector of the drying blower.

D	Scale	Standard	CE	Page	2
		Voltage		Totally	4
Title		SEHD-50		Drawing NO	
Control Circuit Diagram		SEHD-50-CE-400V-0-2		Voltage	
Version		0		Frequency	
Designer		Approved by		400V	
Proofread by		Date		50HZ	
Checked by		201904.15		8	
Modified by		4		7	
Modify date		3		6	
After modification		2		5	
Before modification		1		4	



1 2 3 4 5 6 7 8


A B C D




机型版本 Ver. A

Mark	Before modification	Modified by	Modify date	Checked by	Date	Approved by	Version	0	Title	SEHD-50 Electrical Components Layout	Drawing NO	SEHD-50-CE-400V-0-3	Scale	Page
													Standard	CE
													Voltage	400V
													Frequency	50HZ
													Standard	Totally
														4
														8





整机版本 Ver.A

D	Version	0	Title	SEHD-100		Drawing NO	SEHD-100-CE-400V-0-1		Scale	Page 1
				Main Circuit Diagram			Standard	Totally 4	CE	Pages
Mark	Before modification	After modification	Modify date	Checked by	Proofread by	Designer	Drawer	Date	Voltage	400V
									Frequency	50HZ
1	2	3	4	5	6	7	8	 信易电热机械股份有限公司 Shini Plastics Technologies, Inc.		


1 2 3 4 5 6 7 8

A

B

C

D



整机版本 Ver.A

Mark	Before modification	Modified by	Modify date	Checked by	Proofread by	Designer	Drawer	Version	0	Title	SEHD-100	Drawing NO	SEHD-100-CE-400V-0-3	Scale	Standard	Page	3
	After modification	Modified by	Modify date	Checked by	Proofread by	Designer	Drawer	Version	0	Electrical Components Layout				Standard	CE	Totally	4
													Voltage		400V		
													Frequency		50HZ		
													Standard		CE		
													Voltage		400V		
													Frequency		50HZ		
													Standard		CE		
													Page		3		
													Totally		4		
													Pages				
													Voltage		400V		
													Frequency		50HZ		
													Standard		CE		
													Page		3		
													Totally		4		
													Pages				



信易電熱機械股份有限公司
Shini Plastics Technologies, Inc.

1 2 3 4 5 6 7 8

B

C

D

1	2		3	4	5	6	7	8
NO.	Symbol	Name	Manufacturer	Type	Specification	Number	Material number	Remark
1	Q1	Circuit-breaker	TECO	BM-63C/3016S	16A 3P	1	YE40301603000	
2		Excitation release	---	MX	24V 50/60Hz	1	YE40024000000	
3	K1	Contactor	SIEMENS	3RT6015-1AB01	24V 7A 50/60Hz 1N0	1	YE00601502500	A
4	K2	Contactor	SIEMENS	3RT6018-1AB01	24V 16A 50/60Hz	1	YE00601802500	
5	Q2	Circuit-breaker	TECO	BM-63C/1003S	3A 1P	1	YE40100203000	
6	T	Transformer	JIUXIN	IN=400V/415V OUT=24V	80VA	1	YE70040006500	
7	PCB	Controller	HANYOUNG	TS-01	24V 50/60Hz	1	YE80012401200	
8	S2	Thermocouple	SHINI	KTYPE	---	1	---	(1)
9	M1	Blower	---	---	0.12kW 400V 50HZ	1	---	(1)
10	EH1	Heater	SHINI	---	6kW 400V	1	---	(1)
11	S3	Communication interface board RS-485 (double Dsub-9pin connector)	---	---	---	1	YE90048501200	B
12		Shell RS485(SAL-700G-A-19)0	---	---	---	1	YR40048500000	
13	X1	Spring wiring terminal SK2.5	Honeywell	SK2.5	PCS	2	YE60002503200	
C								
D								
整机版本 Ver.A			Notes: (1)Means it's not the material inside the control box.					
		Designer	Version	Title	Drawing NO		Scale	Page
		Proofread by	0	SEHD-100	SEHD-100-CE-4.00V-0-4		Standard	4
		Checked by	Approved by	Electrical Components List			CE	Totally 4
		Modify date	Date	 信易电热机械股份有限公司 Shini Plastics Technologies, Inc.		Voltage		400V
Mark	Before modification	Modified by	20190107			Frequency		50HZ
1								
2		3	4	5	6	7	8	9